



 BASEMENT PLAN  
 1/4" = 1'-0"

GENERAL SHEET NOTES	SHEET KEYNOTES
<ol style="list-style-type: none"> <li>  INDICATES DIRECTION AND EXTENT OF 11 1/2" TJI/PRO 150 FLOOR JOIST @ 16" OC (U.N.O).           </li> <li>FLOOR SHEATHING SHALL BE 3/4" T&amp;G PLYWOOD @ 8D@4x12. NO BLOCKING REQUIRED UNLESS NOTED OTHERWISE.           </li> <li>  INDICATES 1/2" PLYWOOD SHEAR WALL w/ NAILING PATTERN EXTENDING FOR LENGTH OF SOLID WALL. WALL SEE D4/A-104 FOR SHEAR WALL SCHEDULE EXTENDING FOR LENGTH OF SOLID WALL.           </li> <li>  INDICATES SHEAR WALL w/ NAILING PATTERN &amp; BLOCKING EXTENDING ABOVE &amp; BELOW OPENINGS.           </li> </ol>	<ol style="list-style-type: none"> <li>STAIRS: 14 RISERS @ 7 1/2" EA., TOTAL RISE = 105 1/2" TREAD WIDTH = 10" + 1/4" NOSING</li> <li>MECHANICAL CHASE CONTINUOUS TO ROOF TRUSSES. PROVIDE 1-HOUR RATED GIB (1/4" TYPE XI) TO ISOLATE ENTIRE ASSEMBLY.</li> <li>3/4" RUMFORD FIREPLACE. PROVIDE 6" DIA. (MIN.) DUCTING w/ CLOSABLE GRATE TO SUPPLY EXTERNAL COMBUSTION AIR.</li> <li>FIREPROOF SAFE</li> </ol>

All rights reserved. Use of these documents is restricted to the original subject of the original site for which they were prepared. Any reproduction, publication, or reuse by any method is prohibited. Title to these documents remains with TEEWINOT BUILDERS.

SHEET: 2 OF 24  
**A-102**  
 BSMT FLR. PLAN

**PFALTZ-LUCEY RESIDENCE**  
 515 WEST 525 SOUTH  
 VICTOR, TETON COUNTY, IDAHO 83455

**TEEWINOT BUILDERS**  
 design

BID SET: 8 APR. 2004  
 PERMIT SET: 12 MAY. 2004  
 REVISIONS:  
 DRAWN BY: HS/AO  
 CHECKED BY: GG  
 ©2004 by Terwinot Builders  
 PLOT DATE: Wednesday, May 12, 2004