



MAIN FLOOR PLAN

 1/4" = 1'-0"

GENERAL SHEET NOTES	SHEET KEYNOTES
<p>1. INDICATES DIRECTION AND EXTENT OF 3/2 PRE-FAB TRUSSES @ 24"O.C. U.N.O. ENGINEER FOR 100 LB. SNOW LOAD W/ NO INCREASE IN ALLOWABLE STRESS FOR DURATION OF LOAD</p> <p>2. INDICATES DIRECTION AND EXTENT OF 2x10 R.S. DF-L #1 RAFTERS @ 24"O.C. U.N.O.</p> <p>3. ROOF SHEATHING SHALL BE 5/8" PLYWOOD W/ 10d@6.6/2, OR 1/2" @ 4.4/2. NO BLOCKING REQUIRED</p> <p>4. INDICATES DIRECTION AND EXTENT OF 1 1/4 TJ/ PRO 150 FLOOR JOISTS @ 16"O.C.</p> <p>5. INDICATES SHEAR WALL W/ NAILING PATTERN EXTENDING FOR LENGTH OF SOLID WALL.</p> <p>6. INDICATES SHEAR WALL W/ NAILING PATTERN & BLOCKING EXTENDING ABOVE & BELOW OPENINGS.</p> <p>7. SOLID WOOD BLOCKING, INSULATION, OR OTHER FIRESTOP MATERIAL SHALL BE PROVIDED BETWEEN STORIES, BETWEEN UPPER FLOOR AND ROOF SPACE, AND ANY OTHER PLACE THAT COULD AFFORD THE PASSAGE OF FLAME.</p>	<p>1. STAIRS: 16 RISERS @ 7 1/2" EA. TOTAL RISE = 120" TREAD WITH = 10" x 1 1/2" NOSING</p> <p>2. STAIRS: 14 RISERS @ 7 1/2" EA. TOTAL RISE = 105 1/2" TREAD WITH = 10" x 1 1/2" NOSING</p> <p>3. STAIRS: 2 RISERS @ 5 1/2" EA. TOTAL RISE = 11" TREAD WITH = 16" x 1 1/2" NOSING</p> <p>4. STAIRS: 3 RISERS @ 7 1/2" EA. TOTAL RISE = 22 1/2" TREAD WITH = 10" x 1 1/2" NOSING</p> <p>5. STAIRS: 2 RISERS @ 7 1/2" EA. TOTAL RISE = 15 1/2" TREAD WITH = 10" x 1 1/2" NOSING</p> <p>6. 3" RUMFORD FIREPLACE PROVIDE 4" DIA. (MIN.) DUCTING W/ CLOSABLE GRATE TO SUPPLY EXTERNAL COMBUSTION AIR AT FIREPLACE.</p> <p>7. MECHANICAL CHASE, CONTINUOUS TO ROOF TRUSSES. PROVIDE 1-HOUR RATED GIB (1/4", TYPE X) TO ISOLATE ENTIRE ASSEMBLY.</p> <p>8. FRAME DROP CEILING BELOW TO MATCH ENTRY CEILING HEIGHT</p> <p>9. EXTENT OF ROOF ABOVE</p> <p>10. EXTENT OF TERRACE ABOVE</p>

All rights reserved. Use of these documents is restricted to the original project on the original site for which they were prepared. Any reproduction, publication, or reuse by any method is prohibited. Title to these documents remains with TEEWNOT BUILDERS.

SHEET: 3 OF 24
A-103
 MAIN FLR PLAN

PFALTZ-LUCEY RESIDENCE
 515 WEST 525 SOUTH
 VICTOR, TETON COUNTY, IDAHO 83455

TEEWNOT BUILDERS
 design

81 WEST 300 SOUTH
 VICTOR, IDAHO 83455
 208.354.0500
 www.teewnotbuilders.com

BID SET: 8 APR. 2004
 PERMIT SET: 12 MAY. 2004
 REVISIONS:
 CHECKED BY: GG
 PLOT DATE: Wednesday, May 12, 2004